



### **Contents**

Ordering Information	4
Footwear Adaptions	5
Women's Footwear	8
Men's Footwear	26
Mountain Boots	36
Safety Boots	38
Boa Člosure System	40
House Shoes	42
Measurement Chart - Women	50
Measurement Chart - Men	51



# Want healthy shoes that fit beautifully and feel wonderful?

With our Nimco Custom Made system we'll design and make a personalised pair of Nimco speciality shoes to your exact specifications. You choose, we'll create your shoes!



### Size ranges

All our ladies styles are available in UK sizes 2-11. Our mens styles are available in UK sizes 5-14

### Width fittings

All of our shoes are available in 4 different width fittings; I, K, M and O for ladies and mens. As an indication of the width range, the difference in joint width between the narrowest (I) and the widest (O) is 10mm for each size.

There is also the option of last additions to increase the size of many areas including:

- Joint width
- Joint circumference
- Instep circumference
- Through depth or localised depth

### Last types

Nimco offer 4 last types for each of the widths mentioned above. These are:

- Standard Last (a conventional last shape)
- Nature Last (this is similar to standard last but follows the natural shape of the foot)
- Broken Last (this has a smaller back part than the standard last)
- Nature Broken Last (this has a smaller back part than the nature last)

### Footwear measurement

To choose the correct size and width for your client, the following items require measuring: length, joint width, joint circumference, instep circumference and optionally the long heel. With this information please refer to the measurement charts in order to select the correct size and width fitting for your client.

### Footwear adaptions

We are pleased to be able to offer you a full range of adaptions that can be added to your footwear order. As the custom range is made to order, we are able to add many of the adaptions at the time of manufacture. This allows us to maintain a very high quality of product.

Below are the adaptions that we currently offer.

- B1 Outside compensating raise up to 25mm with a rand, per shoe
- B2 Each subsequent 25mm or part thereof
- B3 Outside compensating raise up to 25mm without a rand, per shoe
- 34 Each subsequent 25mm or part thereof
- B5 Raising the heel in a single item of footwear up to 25mm
- B6 Lowering the heel
- B7 Addition of heel seat or valgus/varus wedge fitted to shoe, per shoe
- 3 Stirrup, heel, toe raising or caliper retaining strap
- 9 Additional padding in a single item of footwear
- B10 Lower the upper beneath the ankle on one side, per shoe
- B13 Convert to velcro fastening, refacing where necessary, per strap
- B14 Addition of lambswool lining or similar, per shoe
- B15 Addition of high elongated stiffener to the medial/lateral aspect of the upper, per shoe
- B16 Addition of a metatarsal bar fitted to the sole, per shoe
- B17 Inclusion of a rocker sole, per shoe
- B18 Inclusion of a wedge fitted into or onto the sole, per shoe
- B19 Inclusion of a floated sole, per shoe
- B20 Inclusion of a sole strip or plate in composite material, per shoe
- B21 Inclusion of a sole strip or plate in non-composite material, per shoe
- B22 Addition of a rubber or steel tip to the sole or heel, per shoe
- B23 Addition of a tip with a flange to protect the welt, per shoe
- B24 Addition of an external protective toe cap. per shoe
- B25 Addition of a full or half elongated, oblique, floated heel or heel wedge or torque heel, per shoe (Combinations of these items will be charged as multiples of B25)
- B30 Inclusion of a socket, to one or both sides of the heel, without front or backstops, per shoe
- B31 Inclusion of a socket, to one or both sides of the heel, with front or backstops, per shoe
- B32 Inclusion of a toe raising/torsion socket, per shoe
- B33 Addition of a lined and padded T or Y strap, per shoe
- B34 Addition of a lined and padded double decker T or Y strap, per shoe
- B40 Inclusion of a full length or three quarter non moulded inlay in a non-shock absorbent material. bontex. plastazote or leather, covered in a suitable material if required, per shoe
- B40b As B40 but manufactered in shock absorbant material: poron, etc
- B40c As B40 but manufactered in silicone
- B41 Inclusion of a metatarsul or valgus support or heel pad fitted to B40, per each
- B42 Inclusion of a metatarsul or valgus support or heel pad fitted directly to the shoe, per shoe
- B43 Inclusion of a heel elevator in cork. HDP or I EVA I with suitable covering
- B50 Inclusion of an inlay with filler to compensate for the amputation of some or all of the toes, per shoe
- B51 Inclusion of an inlay with filler to compensate for the amputation of the forefoot, per shoe
- B54A Functional Foot Orthosis moulded to cast composite material
- B54C-Functional Foot Orthosis of Total Contact inlay moulded to cast
- B55A Covering for an inlay single density
- B55B Covering for an inlay dual density
- B56 Functional Foot Orthosis posting
- B57 Stretching a single item of footwear

### **Footwear Repairs:**

- C12 Refacing including eyelets, ski hooks per pair
- C13 Replace eyelets, ski hooks or D rings per pair
- C14 Renew laces per pair
- C19 Relining the back of a single item of footwear
- C21 Soling & heeling in synthetic material or rubber, per pair
- C22 Soling & heeling in commando units per pair
- C27 Renew stick on soles per pair

eter to the measurement chans in order to select the correct size and width fining for your client.

### Choose your sole

### **Men's Soles**







RUBBER OUTSOLE + CORK HEEL + CREPELINE MID-SOLE + LEATHER WELT



EVA OUTSOLE + LEATHER WELT



### **Women's Soles**

MIX OF RUBBER & MICRO OUTSOLE + RUBBER HEEL PROTECTION + MICRO HEEL + RUBBER WELT





**EVA OUTSOLE + RUBBER MUDGUARD** 



EVA OUTSOLE WITHOUT TOE + MICRO WEDGE +



	085/2021	086/2021	087/2021
OUTSOLE			
HOLLOW WEDGE			
WELT			

### **Mountain Soles**

RUBBER OUTSOLE + MICRO HEEL + MICRO WEDGE



EVA OUTSOLE WITHOUT TOE + MICRO HOLLOW WEDGE + MICRO WELT



**EVA OUTSOLE + TR MUDGUARD** 



MICRO OUTSOLE + MICRO WEDGE + MICRO WELT



EVA OUTSOLE WITHOUT TOE + MICRO



### RUBBER OUTSOLE WITH TOE + MICRO MID-SOLE +MICRO WEDGE + MICRO WELT




**RUBBER OUTSOLE SOLE + CORK HEEL +** 

### **EVA OUTSOLE + LEATHER WELT**









# Monique Available in this sole type only









X860/S602 Fantasy Leather Black Combi

## Toulouse Available in this sole type only





### **Felicia**

















**Dionisia** 





L1602/X860 Fantasy Leather Black Combi



L1630/X1832 Fantasy Leather Light Grey Combi



Avignon
Style comes with Medial Zlp







N302/X860 Nubuck Black

### Gaby





L1672/X872 Fantasy Leather Black Combi



Y2002/X2002 Fantasy Leather Stone Combi

### **Theresa**





Y1820/Y1820 Fantasy Leather Navy Metal



L1602/\$1662 Fantasy Leather Black Combi



\$1814/\$1814 Fantasy Lizard Leather Beige



S1662/S1662 Lizard Leather Black

### Lima





M1452/N302 Grain Leather Black Combi



Y2008/Y2009 Fantasy Leather Lake Blue Combi



N1803/P402 Nubuck Navy/Black Combi





## <u>Tokyo</u>





N1803/X1803 Nubuck Navy Combi



N302/X872 Nubuck Black Combi



V1428/X1896 Fantasy Leather Petra Combi



Y2002/X2002 Fantasy Leather Stone Combi



Y2008/X2004 Fantasy Leather Lake Blue Combi

# Montreal Style comes with Medial Zlp N302/X860 Nubuck Black







Elisabeth









L1803/X1803 Fantasy Leather Navy Metal Combi

V1428/X886 Fantasy Leather Petra Combi

### **Barbara**









### Sharon







### Mia





L1602/X860 Fantasy Leather Black Combi



L1680/X1505 Fantasy Leather Off-White Combi



L2001/X2001 Leather Cognac







L1602/X860 Fantasy Leather Black Combi



Y2002/X2002 Fantasy Leather Stone Combi

### **Debbie**





Y1820/X1803 Fantasy Leather Navy Metal



Y1874/X860 Leopard Leather Black Combi



N302/X860 Fantasy Nubuck Black Combi







L1602/X852 Leather Black



V1810/X1810 Leather Cognac



# Jacqueline Available in this sole type only







N1803/X1803 Fantasy Nubuck Navy Metal Combi



L1601/X1851 Fantasy Leather White Combi



L2001/X2001 Leather Cognac



L1672/X852 Fantasy Leather Black Combi



# Inspiration Surcharge for Velcro





L1602/X852/S602 Patent Leather Black Combi









E20248/X852 Fantasy Black Leather



L1602/X872 Leather Black Combi

### **Michelle**





L1602/X872 Fantasy Leather Black Combi



E20422/X1874 Fantasy Leather Brown Combi



L1803/X1803 Fantasy Leather Navy Combi



L1602/X860 Fantasy Croc Leather Black Combi 23











### Marianne

Surcharge for Velcro







E20422/X1874 Fantasy Leather Brown Combi











L1605/X1504 Fantasy Leather Bordeaux Combi



L1803/X1803 Fantasy Leather Navy Combi



T1904/X1874 Fantasy Leather Brown Combi





### **Orlando**



### Christian





R552/N302 Wax Leather Black

### Luca





L1602/X872 Leather/Nubuck Black





### **Brave**









L1604/N1604 Leather Dark Brown Combi



L1674/L1674 Leather Dark Brown

### **Floris**





L1602/X852 Leather Black Combi



V1810/X1810 Leather Cognac Combi

### <u>Jack</u>









### **Mason**





L1672/X872 Leather Black Combi



L1602/X860 Leather Black/Grey Combi



N328/X899 Nubuck Navy Combi



Available in this sole type only





J846/X860 Polished Leather Black Combi



V1420/X1820 Leather Navy/Beige Combi



L1672/X852 Leather Black/Grey Combi









**Perry** 





L1602/X852/L1602 Leather Black Combi

11674/X874/11674

L1674/X874/L1674 Leather Dark Brown

### **Victor**









### **Dublin**









Max





X860/R552 Wax Leather Black

### **Sailor**







### **Everest**





Waterproof Leather Navy Combi



WP2002/P1977 Waterproof Leather Green Combi



WP592/WP452 Waterproof Leather Black Combi



WP2002/P1977 Waterproof Leather Green Combi



WP2001/P1653 Waterproof Leather Navy Combi



WP592/WP452 Waterproof Leather Black Combi



WP594/E20366 Waterproof Leather Brown Combi 37

### **Safety Boots**






WP252 Waterproof Leather

### Characteristics:

- Water-repellent leather and suede
- Anti-static cloth lining
- PU sole with the required physical strength for foot protection as well as satisfactory resistance to oils and acids
- Aluminium toecaps, produced and applied in accordance with international standards and protecting the foot from crushing by heavy objects.
- The foot's base is protected by a high moisture absorbing and desorbing capacity insole.
- A firm counterstiffener is used in the heel area. It also has the adequate shape for walking stability.

All footwear materials have been individually tested to meet standard EN ISO 20345:2011 requirements.




THIS STYLE CANNOT BE CUSTOMIZED

# BOA CLOSURE

### Types of BOA Closure available







BOA Closure available with a strap

### Styles available with BOA Closure



Inspiration BOA & BOA Strap







Dionisia BOA & BOA Strap







Polish BOA & BOA Strap

Luca BOA & BOA Strap



### Calais





122 Microfiber Black Combi



123 Microfiber Navy Combi



124 Microfiber Brown Combi



125 Microfiber Grey Combi



127 Textile Black Combi



128 Textile Navy Combi



129 Textile Brown Combi



### Lyon

### Lille





































135 Textile Black Combi

### **Paris**





116 Microfiber Brown Combi



115 Microfiber Navy Combi



117 Microfiber Grey Combi



118 Microfiber Bordeaux Combi



121 Textile Brown Combi



120 Textile Navy Combi



119 Textile Black Combi




# Measurement Chart Adult Personal Pair - Women's Lasts

50

			Last	stl			Last	ž Y			Last M	χ			Last	0	
Size	-	7	က	4	2	7	က	4	2	7	က	4	2	7	က	4	5
01	226	82	208	211	284	85	218	221	294	89	228	231	304	92	238	241	314
21/2	230	83	211	215	289	87	221	225	299	90	231	235	309	93	241	245	319
ဗ	235	84	214	218	294	88	224	228	304	91	234	238	314	94	244	248	324
31/2	239	82	217	221	299	68	227	231	309	92	237	241	319	92	247	251	329
4	243	98	221	224	304	90	231	234	314	93	241	244	324	96	251	254	334
41/2	247	87	224	227	309	91	234	237	319	94	244	247	329	97	254	257	339
2	252	68	227	231	315	92	237	241	325	92	247	251	335	86	257	261	345
51/2	256	90	230	234	320	93	240	244	330	96	250	254	340	100	260	264	350
9	260	91	233	237	325	94	243	247	335	6	253	257	345	101	263	267	355
61/2	264	95	237	240	330	92	247	250	340	86	257	260	350	102	267	270	360
7	268	93	240	243	335	96	250	253	345	66	260	263	355	103	270	273	365
71/2	273	94	243	246	340	97	253	256	350	100	263	266	360	104	273	276	370
8	277	92	246	250	345	98	256	260	355	102	266	270	365	105	276	280	375
81/2	281	96	249	253	350	66	259	263	360	103	269	273	370	106	279	283	380
6	285	26	252	256	355	100	262	266	365	104	272	276	375	107	282	286	385
91/2	290	86	256	259	360	101	266	269	370	105	276	279	380	108	286	289	330
10	294	66	259	262	365	102	569	272	375	106	279	282	385	109	289	292	395
101/2	298	100	262	265	370	103	272	275	380	107	282	285	330	110	292	295	400
=	302	101	265	269	375	105	275	279	385	108	285	289	395	11	295	299	405







Foot Length
 Joint Width
 Joint Circumference
 Instep Circumference
 Long Heel

# Measurement Chart Adult Personal Pair - Men's Lasts

			Last	stl			Last	ž X			Las	Last M			Last	0	
Size	-	7	က	4	2	7	က	4	2	7	က	4	2	7	က	4	2
2	254	93	224	230	324	97	234	240	334	100	244	250	344	103	254	260	354
51/2	258	94	227	233	329	86	237	243	339	101	247	253	349	104	257	263	359
9	262	92	230	236	334	66	240	246	344	102	250	256	354	105	260	266	364
61/2	266	96	233	239	339	100	243	249	349	103	253	259	329	106	263	269	369
7	270	86	237	243	344	101	247	253	354	104	257	263	364	108	267	273	374
71/2	275	66	240	246	349	102	250	256	329	105	260	266	369	109	270	276	379
8	279	100	243	249	355	103	253	259	365	106	263	569	375	110	273	279	385
81/2	283	101	246	252	360	104	256	262	370	107	266	272	380	=======================================	276	282	390
6	287	102	249	255	365	105	259	265	375	108	269	275	385	112	279	285	395
91/2	292	103	253	259	370	106	263	269	380	110	273	279	390	113	283	289	400
10	296	104	256	262	375	107	266	272	385	111	276	282	395	114	286	292	405
101/2	300	105	259	265	380	108	569	275	390	112	279	285	400	115	289	295	410
7	304	106	262	268	385	109	272	278	395	113	282	288	405	116	292	298	415
111/2	309	107	265	271	390	110	275	281	400	114	285	291	410	117	295	301	420
12	313	108	268	274	395	111	278	284	405	115	288	294	415	118	298	304	425
121/2	317	109	272	278	400	113	282	288	410	116	292	298	420	119	302	308	430
13	321	110	275	281	405	114	285	291	415	117	295	301	425	120	305	311	435
131/2	326	111	278	284	410	115	288	294	420	118	298	304	430	121	308	314	440
14	330	112	281	287	415	116	291	297	425	119	301	307	435	122	311	317	445





Foot Length
 Joint Width
 Joint Circumference
 Instep Circumference
 Long Heel

